

## Bibliografía

- Pham TN, Gibran NS, Heimbach DM. Evaluation of the burn wound: management decisions. Total burn care. 3ed. Edinburg: Saunders Elsevier. 2007.
- Edelman LS. Social and economic factors associated with the risk of burn injury. Burns. 2007; 33(8):958-65.
- Mathers CD, Fat DM, Boema JT. The Global Burden of Disease. 2a ed. Washington: World Health Organization; 2008.
- Servicio Andaluz de Salud. Consejería de Salud. Guía de práctica clínica para el cuidado de personas que sufren quemaduras: Servicio Andaluz de Salud, Sevilla; 2010, [citado 6 de diciembre de 2012].
- Martín D, Del Pozo A. Pigmentación de la piel. Melaninas: Conceptos generales e implicaciones cosméticas. Elsevier. 2005; 24(1): 116-8.
- Leon J, Jeschke MG, Herndon DN. Topical management of facial burns. Burns. 2008; 34(7):903-911.
- Goutos I. Burns pruritus-a study of current practices in the UK. Burns. 20010;36(1):42-8.
- Due E, Rossen K, Sorensen LT, Kliem A, Karlsmark T, Haedersdal M. Effect of UV irradiation on cutaneous cicatrix a randomized, controlled trial with clinical, skin reflectance, histological, immunohistochemical and biochemical evaluations. Acta Derm. Venereol. 2007;87(1):27-32.
- Chadwick S, Heath R, Shan M. Abnormal pigmentation within cutaneous scars: A complication of wound healing. Indian J Plast Surg. 2012; 45(2):403-11.
- Argüello JM, Fidel KS, Petit JM, Terixidó X. Psychological repercussion of the burned patient. Rev Enferm. 2006; 29(3):55-60.
- Titscher A, Lumenta DB, Kamolz LP, Mittboeck M, Frey M. Emotional associations with skin: differences between burned and non-burned individuals. Burns. 20010; 36(6):759-63.
- Pope SJ, Solomons WR, Done DJ, Cohn N, Possamai AM. Body image mood and quality of life in young burn survivors. Burns. 2007; 33(6):747-55.
- Wallis H, Renneberg B, Ripper S, Germann G, Wind G, Jester A. Emotional distress and psychosocial resources in patients recovering from severe burn injury. J Burn Care Res. 2006; 27(5):734-41.
- Salaberria K, Rodríguez S, Cruz S. Percepción de la imagen corporal. Osasunaz. 2007; 8:171-83.
- Holme SA, Bealtie PE, Fleming CJ. Cosmetic camouflage advice improves quality of life. Br. J. Dermatol. 2001; 147(5):946-9.
- Deshayes P. Cosmetic camouflage for a better quality of life. Ann Dermatol Venereol. 2009; 136(6):372-74.
- Geomelas M, Ghods M, Ring A, Ottoman C. «The Maestro»: a pioneering plastic surgeon-Sir Archibald McInclcoe and his innovating work on patients with burn injury during World War II. J Burn Care Res. 2001; 32(3):363-8.
- Queen Victoria Hospital Burns Center. A guide to burns aftercare, no.1. Esast Grinstead: Queen Victoria Hospital; 2010[citad 11des.2012].
- Pesquera C, Francisco C, Criado C. Estudio de un caso desde la perspectiva de Dorotea Orem. Educare 21. 2004;(13).
- Wilson J, Gramling L. The application of Orem's Self-Care Model to burn care. J Burn Care Res. 2009; 30(5):852-8.
- Johnson A, Sandford J, Tyndall J. Written and verbal information versus verbal information only for patients being discharged from acute hospital settings to home. Cochrane Database Syst Rev. 2003; (4): CD003716.
- Rodríguez M, García M. Informe al alta de enfermería: aspectos educativos. Hygia. 2004; 56:20-2.
- NANDA International, Diagnósticos enfermeros: Definición y Clasificación. 2011. Madrid: Elsevier; 2010