

## Bibliografía

- Serum 25-hydroxyvitamin D and the risk of cardiovascular disease: dose-response meta-analysis of prospective studies. Zhang R, Li B, Gao X, Tian R, Pan Y, Jiang Y, Gu H, Wang Y, Wang Y, Liu G. *Am J Clin Nutr*. 2017 Apr;105(4):810-819. doi: 10.3945/ajcn.116.140392. Epub 2017 Mar 1.
- Circulating 25-hydroxyvitamin D and risk of lung cancer: a dose-response meta-analysis. Chen GC, Zhang ZL, Wan Z, Wang L, Weber P, Eggersdorfer M, Qin LQ, Zhang W. *Cancer Causes Control*. 2015 Dec;26(12):1719-28. doi: 10.1007/s10552-015-0665-6. Epub 2015 Sep 10.
- Vitamin D deficiency as a risk factor for dementia: a systematic review and meta-analysis. Sommer I, Griebler U, Kien C, Auer S, Klerings I, Hammer R, Holzer P, Gartlehner G. *BMC Geriatr*. 2017 Jan 13;17(1):16. doi: 10.1186/s12877-016-0405-0.
- Parkinson disease. Reduced level of dietary vitamin D is associated with PD. Fyfe I. *Nat Rev Neurol*. 2015 Feb;11(2):68. doi: 10.1038/nrneurol.2014.265. Epub 2015 Jan 13.
- Iron and cancer risk--a systematic review and meta-analysis of the epidemiological evidence. Fonseca-Nunes A, Jakszyn P, Agudo A. *Cancer Epidemiol Biomarkers Prev*. 2014 Jan;23(1):12-31. doi: 10.1158/1055-9965.EPI-13-0733. Epub 2013 Nov 15.
- Dietary intake of heme iron and risk of cardiovascular disease: a dose-response meta-analysis of prospective cohort studies. Fang X, An P, Wang H, Wang X, Shen X, Li X, Min J, Liu S, Wang F. *Nutr Metab Cardiovasc Dis*. 2015 Jan;25(1):24-35. doi: 10.1016/j.numecd.2014.09.002. Epub 2014 Sep 30.
- Changes in red meat consumption and subsequent risk of type 2 diabetes mellitus: three cohorts of US men and women. Pan A, Sun Q, Bernstein AM, Manson JE, Willett WC, Hu FB. *JAMA Intern Med*. 2013 Jul 22;173(14):1328-35. doi: 10.1001/jamainternmed.2013.6633
- Habitual chocolate consumption and risk of cardiovascular disease among healthy men and women. Kwok CS, Boekholdt SM, Lentjes MA, Loke YK, Luben RN, Yeong JK, Wareham NJ, Myint PK, Khaw KT. *Heart*. 2015 Aug;101(16):1279-87. doi: 10.1136/heartjnl-2014-307050. Epub 2015 Jun 15.
- High-polyphenol chocolate reduces endothelial dysfunction and oxidative stress during acute transient hyperglycaemia in Type 2 diabetes: a pilot randomized controlled trial. Mellor DD<sup>1</sup>, Madden LA, Smith KA, Kilpatrick ES, Atkin SL. *Diabet Med*. 2013 Apr;30(4):478-83. doi: 10.1111/dme.12030.
- Reducing Breast Cancer Recurrence: The Role of Dietary Polyphenolics. Braakhuis AJ, Campion P, Bishop KS. *Nutrients*. 2016 Sep 6;8(9). pii: E547. doi: 10.3390/nu8090547.
- Los flavonoides y el Sistema Nervioso Central. Estrada-Reyes, Rosa; Ubaldo-Suárez, Denisse; Araujo-Escalona, Ana Gabriela. *Salud Mental*, vol. 35, núm. 5, septiembre-octubre, 2012, pp. 375-384
- Nut consumption and risk of cardiovascular disease, total cancer, all-cause and cause-specific mortality: a systematic review and dose-response meta-analysis of prospective studies. Aune D, Keum N, Giovannucci E, Fadnes LT, Boffetta P, Greenwood DC, Tonstad S, Vatten LJ, Riboli E, Norat T. *BMC Med*. 2016 Dec 5;14(1):207.